

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 396 984 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
10.03.2004 Bulletin 2004/11

(51) Int Cl.⁷: **H04M 1/247**, G06F 3/023,
H04M 1/725, H04Q 7/32

(21) Application number: 02019921.2

(22) Date of filing: 04.09.2002

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• **Ihle, Marc, Dr.**
89077 Ulm (DE)
• **Santa Cruz Roldan, Carmen**
9000 Denmark (DK)

(71) Applicant: **SIEMENS AKTIENGESELLSCHAFT**
80333 München (DE)

(54) User interface for a mobile communication device

(57) The invention relates to a mobile communication device comprising means 4, 5, 12 for recognizing external effects on the communication device, means for storing data related to the recognized external effects, means for initiating at least one action 9, 10, 11 in the communication device, and means for processing the stored data, whereby the at least one action is initiated depending on the stored data. In a preferred embodiment, the external effects comprise the user-behavior of the user of the communication device.




FIG. 1

EP 1 396 984 A1

Description

[0001] The invention relates to a mobile communication device and a method for operating a mobile communication device.

[0002] Electronic pets, e.g. Tamagochis (TM), are getting more and more popular. Especially teenagers like the behavior of a pet to be simulated by an electronic device. Until now, the behavior of electronic pets was controlled by an engine that only took into account the success of the owner of the electronic pet to fulfill a number of predefined tasks, e.g. feed, clean, or play a specific game. However, the abilities of known electronic pets are limited so that the enthusiasm for engaging with the electronic pet very soon fades. Moreover, known electronic pets are separate devices that can not realize any further functions. Therefore, such devices have to be carried around separately.

[0003] Avatars are employed to represent the user in video-games and chat rooms. Avatars are also known to represent salespersons in virtual internet shops. However, the profile of known avatars is limited to a predefined appearance and behavior as selected by the user. This appearance does not change, regardless of conditions like e.g. duration, result of a game or the environmental conditions that take place when a game is played.

[0004] The cover of a mobile phone is a static part of the mobile device with limited personalization capabilities. However, being the most visible part of the device, it is the best way for the users to make a personal statement about themselves and the way of like they favor. The current efforts of mobile device manufactures involve the use of easily detachable covers that are either mass produced or in another way customized with art provided by the final user (e.g. pictures).

[0005] Even in the latter case, the choices are limited to only one possibility that might not be suitable for all moods of the user, or all situations. In view of this limitation, some mobile device manufactures decided to add a photography holder to the back of the device. However, this approach is not very flexible. In addition, a detachable cover can only be used with a specific mobile device. Therefore, if the user intends to change the device at a later time, he/she needs to discard the old covers and buy new ones.

[0006] An object of the invention is to create a known mobile device which may act as an electronic pet and/or avatar, and which benefits from the mobility and information obtained by being hosted in a mobile device.

[0007] Another object of the invention is to provide a method for operating a known mobile device that enables the device to act as an electronic pet and/or avatar benefiting from the mobility and information obtained by being hosted in a mobile device.

[0008] The first object is solved by a mobile communication device comprising the features of claim 1, and the second object is solved by a method for operating a

mobile communication device comprising the features of claim 18. The dependent claims represent preferred and advantageous embodiments of the present invention.

[0009] The mobile communication device comprises

- means for recognizing external effects on the communication device,
- means for storing data related to the recognized external effects,
- means for initiating at least one action in the communication device, and
- means for processing the stored data, whereby the at least one action is initiated depending on the stored data.

[0010] External effects in the meaning of the invention are all physical effects and forces which may be detected in the mobile communication device like for example typing a key, voice input, positioning information etc. The mobile communication device is preferably a mobile phone, however, may also be any similar portable device, for example a personal digital assistant.

[0011] In a preferred embodiment, the external effects comprise the user-behavior of the user of the communication device. The user-behavior may be presented by the type of applications on the mobile communication device utilized by the user, the frequency of use of some type of applications and/or the mood of the user at a given point, e.g. represented by the typing style (fast, strong), the tone of voice, the speed of speech, etc.

[0012] In another embodiment, the means for recognizing external effects comprise at least one separate sensor. The mobile communication device may be equipped with different types of sensors, which will make the device aware of environmental external conditions, e.g. light, temperature, sound/noise, acceleration etc.

[0013] In a further embodiment, the at least one action is initiated depending on at least one internal condition of the communication device, e.g. calendar entries. The internal condition may also be determined by sensors and may comprise the conditions low battery, low network coverage, small amount of available memory etc. In this respect, an electronic pet/avatar reacting to the at least one internal condition would act as a more human-like status-indication agent.

[0014] In one embodiment of the invention, the external effects comprise the location of the communication device. The location may for example be determined by means of GPS (Global Positioning System), GSM (Global System for Mobile Communications) / UMTS (Universal Mobile Telephone System) based location methods, a Bluetooth Network or the frequency of cell change. For example, the mobile communication device is able to play a certain game level of a game only at predetermined places.

[0015] In a still further embodiment of the invention,

the at least one action is initiated depending on at least one token element stored in the means for storing. The at least one token element can be received from an external source. Preferably, the at least one token element is broadcasted to the communication device. In one embodiment, the at least one token element comprises an executable code. Changing tokens are elements that might alter the personality/behavioral profile, awareness, -i.e. responsiveness to external effects and internal conditions-, the type of conditions affecting the device, appearance and activities to be performed by/with the device. A token element can be delivered as a parameter or as an executable code, e.g. a java (TM) midlet that patches and modifies the device. Broadcasting the token element means that the token element is submitted to the device in an unrequested manner, e.g. by a cell broadcast service. The token elements may for example be obtained at certain places (e.g. some shops as promotional items), by having or using certain mobile services, by using specific applications or by performing certain activities (e.g. combination of activities in the phone, biking/walking for a given time or distance).

[0016] In a still further embodiment, the at least one action comprises at least one alteration on the display of the communication device. The display alteration may be for example a certain screensaver depending on the detected surrounding, noise, a face showing a smile or an avatar/electronic pet showing a certain gesture.

[0017] In another embodiment of the invention, at least a part of the cover of the mobile communication device alters depending on said at least one action. This part of the cover may be a separate display (with or without the possibility to flex around the device) or may also be combined with other displays (i.e. the main display of the device and/or other secondary displays) conforming a modular display arrangement encircling the device. Consequently, the cover-display may also conform to a tri-dimensional display arrangement. This arrangement will need to be taken into account by the rendering element in order represent the pictorial elements correctly.

[0018] Preferably, this at least part of the cover of the mobile communication device comprises an electronic ink film and/or an electronic paper. An electronic ink film consists of millions of tiny microcapsules. In one status, each microcapsule contains positively charged white particles and negatively charged black particles suspended in a clear fluid. When a negative electric field is applied, the white particles move to the top of the microcapsule where they become visible. This makes the surface appear white at that spot. At the same time, an opposite electric field pulls the black particles to the bottom of the microcapsules where they are hidden. By reversing this process, the black particles appear at the top of the capsule, which makes the surface appear dark at that spot. The electronic ink film may be printed onto a sheet of plastic film that is laminated to a layer of circuitry. The circuitry forms a pattern of pixels that can be con-

trolled by a display driver. Electronic paper is a thin layer of transparent plastic in which millions of small beads are randomly dispersed. The beads, each contained in an oil-filled cavity, are free to rotate within those cavities. The beads have two colors, and are charged as electrical dipoles. When a voltage is applied to the surface of the sheet, the beads rotate. Since the electronic ink film and the electronic paper are flexible, they are suitable for being adapted to the shapes of different devices. Furthermore, the battery consumption of electronic ink film and electronic paper is very small. Once the information is written in the display, the information stays there until a new voltage is applied.

[0019] In a preferred embodiment, the means for initiating at least one action comprise a computer program. The computer program may control the voltage supplied to the electronic ink film and/or electronic paper so that displaying different pictorial compositions on the cover is possible. Depending on the recognized external effects, the displayed pictorial compositions (displayed on at least some parts of the cover) of the mobile communication device may change.

[0020] The computer program may be downloaded to the mobile communication device, e.g. by use of MMS (Multimedia Messaging Service). The engines of the electronic pet and its "changing tokens" or soft-cover modules and pictorial compositions ("soft-covers") can be delivered using MMS. Although, in the case of "changing tokens" and "soft-covers", it might be necessary to employ (and thus register) specific electronic pet and soft-cover MIME (multi purpose internet mail extensions) types. The computer program might also be downloaded locally (e.g. by a Bluetooth network, which initially does not require the use of MMS). The computer program (i.e. soft-cover modules and electronic pet engines) is preferably based on java (TM) technology. Java is a programming language designed for use in the distributed environment of the Internet and enforces an object-oriented programming model. Java can be used to create complete applications that may run on a single computer or be distributed among servers and clients in a network. It can also be used to build a small application module or applet. The computer program may comprise a core module and a configuration module. The core module may handle rendering of the pictorial compositions (e.g. three-dimensional views for tri-dimensional display arrangements) on at least one part of the cover of the mobile communication device. The configuration module enables the computer program to adapt to the geometrical characteristic of the at least parts of the cover of the particular mobile communication device. Furthermore, the configuration module may use downloadable descriptors of the mobile communication devices in order to permit portability of the pictorial compositions across different devices. Alternatively, a pictorial composition can be downloaded which is already customized for a given mobile communication device.

[0021] The invention also relates to a soft-cover and

a soft-cover application. Differences exist between the soft-cover applications (which execute, handle and manipulate the soft-covers) and soft-covers. A soft-cover application may comprise a core module, a configuration module, a soft-cover album module, a soft-cover lab, and a soft-cover environmental module. A soft-cover is a scenery to be represented (executed by the soft-cover application) in a cover display of varying geometrical arrangement (e.g. a three-dimensional geometrical arrangement). The cover display may be integrated in the physical cover of the mobile device. The scenery portrait by the soft-cover comprises diverse pictorial elements of static (pictures) and/or dynamic (animations) nature. The scenery may change according to the settings and mode of use (e.g. external effects, internal conditions).

[0022] The computer program, i.e. soft-cover application, may optionally comprise an album module, a lab module and/or an environmental module. The album module permits to access a collection of different pictorial compositions for the at least parts of the cover of the mobile communication device. For example, on the 1st of February, a birthday cover is displayed and on February 15th, a valentine's cover is shown. The birthday information can be obtained from the calendar of the mobile communication device. The lab module allows the user of the device to convert photographs or pictures in a format to be displayed on the part of the cover-display of the mobile communication device. Moreover, the elements to be displayed and their position on the part of the cover-display can be defined. Finally, the environmental module allows the soft-cover application to react on external effects and internal conditions.

[0023] The invention may employ the mobility and information obtained from the mobile device to change the quality of a displayed pictorial scenery and thus, alter the complete appearance of the mobile device. The pictorial composition (or scenery) might be composed of at least one pictorial entity of static (picture) or dynamic (animation) nature. The modification of the pictorial information shown on the display is preferably one of two types:

- (a) substitution of a pictorial composition for another one; or
- (b) alteration of a pictorial composition, made of several pictorial entities by changing the presence, appearance or behavior of the individual pictorial entities.

[0024] The at least one action may also comprise at least one acoustic signal. Preferably, the type and/or loudness and/or sound of the at least one acoustic signal is changed depending on the stored data. Moreover, the acoustic signal may be adjusted to environmental noise situation. For example, a louder acoustic signal is played in a night club than in a museum.

[0025] The at least one action may also comprise a

tactile actuation. The vibration pattern (as executed by means of a trembler or a loud-speaker, for instance) and the intensity applied might change depending on stored data. The tactile actuation might also comprise a small change of the temperature of the cover or electrical stimulation supplied in a given location of the mobile device.

[0026] The at least one action may also comprise an olfactory emission. The type of scent generated is changed depending on the stored data.

[0027] In the method for operating a mobile communication device,

- the external effects on the communication device are recognized,
- the data related to the recognized external effects is stored,
- the at least one action is initiated in the communication device,
- the stored data is processed and
- the at least one action is initiated depending on the stored data.

[0028] The invention also relates to a method for operating a three-dimensional display integrated in the cover of a mobile device.

[0029] The invention further relates to a method for describing the position of the entities of a pictorial composition in a coherent way according to the geometrical characteristics of a cover display (with or without three-dimensional geometrical arrangement).

[0030] Moreover, the invention relates to a method for using a set of geometrical parameters for adapting pictorial compositions to the different shapes and sizes of a three-dimensional display.

[0031] Furthermore, the invention relates to a method for enhancing the operation of a mobile device (e.g. back-light, background, sound, trembler, etc.).

[0032] By means of the invention, the concept of an electronic pet departs from the known notion. In the present invention, an electronic pet might start from an elemental core-engine of predefined behavioral and awareness profile (adjusted to the user; e.g. a sporty electronic pet) and evolve according to occurrence and performance on activities that are relevant to the user (e.g. bike a certain amount of kilometers while using the sensors of the mobile device as a bike computer). In this respect, the invention may also act as a support program (with human-like behavior) having the ability to engage the user in difficult tasks (e.g. memory exercises, work out, quit smoking). The electronic pet can reflect the advances of the user in a visible and descriptive way, e.g. by getting more skills, or changing its appearance.

[0033] The invention is described in more detail below with reference to the enclosed drawing, in which

Figure 1 shows a schematic diagram of a mobile phone.

[0034] In Figure 1, an example of the present invention is shown. The shown mobile phone comprises a keyboard 4, a microphone 5, a loudspeaker 3, a display 2, an antenna 12 and a detachable cover 1. The detachable cover 1 comprises an electronic ink film. A user of the mobile phone types 7 on the keyboard 4 with a certain speed and force and speaks 8 into the microphone 5 with a certain noise and tone. Moreover positioning information of the mobile phone 6 is obtained via the antenna 12. All this external information is detected by and stored in the mobile phone. The stored information is processed by a microprocessor (not shown), and certain actions are initiated depending on that information. For example, the loudspeaker 3 plays 11 a certain song if the user-behavior continuously indicates bad mood of the user. By means of the positioning information 6, the location of the mobile phone can be determined. Depending on this information, if the user is working at his place of employment, the cover displays a "business style" cover. If the mobile phone is outside the place of employment, the cover changes to a "holiday-motive".

[0035] In another example, the display 2 shows 10 an avatar or the cover displays a certain animation if a certain shop is entered for the second time. In a further example, when located in a shop, a java-applet is automatically downloaded to the mobile phone. The java applet controls the cover display 1 and initiates it to show a certain advertising of the shop. When the mobile phone is located outside the shop, the default motive is again shown on the cover 1.

[0036] In another example, an electronic pet evolves by playing a game that involves at least one user. The electronic pet might play on behalf of the user against another electronic pet by using the skills accumulated during its evolution. Thus, the electronic pet takes over the role of an avatar. The skills (its appearance, changing capabilities and awareness) are modified by means of events of internal (e.g. internal status of the phone, resident application status) or external nature (e.g. environmental exposure by external sensors and changing tokens). The sensors collect information regarding the surrounding conditions in relation to the mobile device (e.g. light, location, temperature, background noise, acceleration, etc.). Furthermore, the sensors may collect information regarding interaction of the user (e.g. typing speed, typing pressure, speech loudness, bandwidth usage, holding pressure, hand temperature, hand humidity, etc.), thus deriving behavioral information of the user. The electronic pet behaves accordingly.

Claims

1. A mobile communication device comprising:

- means (4, 5, 12) for recognizing external effects on said communication device,
- means for storing data related to said recog-

nized external effects,

- means for initiating at least one action (9, 10, 11) in said communication device, and
- means for processing said stored data, whereby said at least one action is initiated depending on said stored data.

2. A mobile communication device according to claim 1,
characterized in that
said external effects comprise the user-behavior of the user of the communication device.

3. A mobile communication device according to any of the previous claims 1 to 2,
characterized in that
said means for recognizing external effects comprise at least one separate sensor.

4. A mobile communication device according to any of the previous claims 1 to 3,
characterized in that
said at least one action is initiated depending on at least one internal condition of said communication device.

5. A mobile communication device according to any of the previous claims 1 to 4,
characterized in that
said external effects comprise the location of the communication device.

6. A mobile communication device according to any of the previous claims 1 to 5,
characterized in that
said at least one action is initiated depending on at least one token element stored in said means for storing.

7. A mobile communication device according to previous claim 6,
characterized in that
said at least one token element can be received from an external source.

8. A mobile communication device according to any of the previous claims 6 to 7,
characterized in that
said at least one token element is broadcasted to said communication device.

9. A mobile communication device according to any of the previous claims 6 to 8,
characterized in that
said at least one token element comprises an executable code.

10. A mobile communication device according to any of

the previous claims 1 to 9,
characterized in that
 said at least one action comprises at least one alteration on the display of said communication device.

11. A mobile communication device according to any of the previous claims 1 to 10,
characterized in that
 at least a part of the cover of the mobile communication device alters depending on said at least one action.

12. A mobile communication device according to claim 11,
characterized in that
 said at least part of the cover of the mobile communication device comprises an electronic ink film and/or an electronic paper.

13. A mobile communication device according to any of the previous claims 1 to 12,
characterized in that
 said means for initiating at least one action comprise a computer program.

14. A mobile communication device according to any of the previous claims 1 to 13,
characterized in that
 said at least one action comprises at least one acoustic signal.

15. A mobile communication device according to any of the previous claims 1 to 13,
characterized in that
 said at least one action comprises at least one tactile stimulus.

16. A mobile communication device according to any of the previous claims 1 to 13,
characterized in that
 said at least one action comprises at least one olfactory emission.

17. A mobile communication device according to previous claim 14,
characterized in that
 the type and/or loudness and/or sound of said at least one acoustic signal is changed depending on said stored data.

18. A method for operating a mobile communication device in which

- external effects on said communication (6, 7, 8) device are recognized,
- data related to said recognized external effects is stored,

- at least one action (9, 10, 11) is initiated in said communication device, and
- said stored data is processed and said at least one action is initiated depending on said stored data.

19. A method according to claim 18,
characterized in that
 said external effects comprise the user-behavior of the user of the communication device.

20. A method according to any of the previous claims 18 or 19,
characterized in that
 said at least one action is initiated depending on at least one internal condition of said communication device.

21. A method according to any of the previous claims 18 to 20,
characterized in that
 said external effects comprise the location of the communication device.

22. A method according to any of the previous claims 18 to 21,
characterized in that
 said at least one action is initiated depending on at least one token element stored in a means for storing.

23. A method according to previous claim 22,
characterized in that
 said at least one token element can be received from an external source.

24. A method according to any of the previous claims 22 to 23,
characterized in that
 said at least one token element is broadcasted to said communication device.

25. A method according to any of the previous claims 22 to 24,
characterized in that
 said at least one token element comprises an executable code.

26. A method according to any of the previous claims 18 to 25,
characterized in that
 said at least one action comprises at least one alteration on the display of said communication device.

27. A method according to any of the previous claims 18 to 26,
characterized in that

at least a part of the cover of the mobile communication device alters depending on said at least one action.

28. A method according to previous claim 27, 5
characterized in that
 said at least part of the cover of the mobile communication device alters by means of an electronic ink film and/or an electronic paper. 10
29. A method according to any of the previous claims 18 to 28, 10
characterized in that
 said at least one action is initiated by a computer program. 15
30. A method according to any of the previous claims 18 to 29, 20
characterized in that
 said at least one action comprises at least one acoustic signal. 20
31. A method according to any of the previous claims 18-30, 25
characterized in that
 said at least one action comprises at least one tactile stimulus. 25
32. A mobile communication device according to any of the previous claims 18 to 30, 30
characterized in that
 said at least one action comprises at least one olfactory emission. 30
33. A method according to previous claim 30, 35
characterized in that
 the type and/or loudness and/or sound of said at least one acoustic signal is changed depending on said stored data. 40
34. A soft-cover suitable to be used in mobile communication device according any of the previous claims 1 - 17 and/or suitable to be used with a method according any of the previous claims 18 - 33. 45
35. A soft-cover application suitable to be used in mobile communication device according any of the previous claims 1 - 17 and/or suitable to be used with a method according any of the previous claims 18 - 33. 50

55




FIG. 1



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 01 9921

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 887 988 A (NIPPON ELECTRIC CO) 30 December 1998 (1998-12-30) * column 6, line 32 - column 7, line 32; figure 3 * * column 8, line 8-21 *	1-4, 10, 13-15, 18-20, 26, 29-31	H04M1/247 G06F3/023 H04M1/725 H04Q7/32
X	US 5 910 882 A (BURRELL GARY L) 8 June 1999 (1999-06-08) * abstract * * column 4, line 8-62; figures 1,3,11 *	1-4, 10, 18-20, 26	
X	US 2002/090973 A1 (TENDLER ROBERT K) 11 July 2002 (2002-07-11) * paragraphs '0020!', '0021!', '0025!', '0026!'; figure 1 *	1, 3, 5, 21	
X	DE 201 15 776 U (MERLAKU KASTRIOT) 7 March 2002 (2002-03-07) * page 1 *	1, 16, 18, 32	
X	EP 0 901 263 A (NOKIA MOBILE PHONES LTD) 10 March 1999 (1999-03-10) * paragraph '0019!'; figures 1, 2 *	1, 14, 17, 18, 30, 33	G06F H04M H04Q
X	EP 1 079 584 A (NOKIA MOBILE PHONES LTD) 28 February 2001 (2001-02-28) * paragraphs '0010!', '0016!', '0023!'; figures 1, 3 *	1, 11, 12, 27, 28, 34, 35	
X	DE 201 03 009 U (F & W AG) 21 June 2001 (2001-06-21) * abstract * * page 5 *	1, 11, 12, 27, 28, 34, 35	
-/-			
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 24 April 2003	Examiner de Biolley, L
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03 82 (Pol/031)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 01 9921

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	FR 2 761 219 A (GEMPLUS CARD INT) 25 September 1998 (1998-09-25) * page 9, line 18 - page 12, line 21; figure 4 *	1,6-9, 22-25	
A	US 2001/056364 A1 (VAN DE SLUIS BARTEL MARINUS ET AL) 27 December 2001 (2001-12-27) * abstract; figures 3-6 *	1,2,4, 10,13, 14, 18-20, 26,29,30	
A	DE 100 22 588 A (SIEMENS AG) 15 November 2001 (2001-11-15) * abstract * * paragraph '0015! *	12,27	
A	WO 02 51185 A (NORTEL NETWORKS LTD ;SILVER ANDREW (US); LARKINS JOHN (US)) 27 June 2002 (2002-06-27) * page 3, line 35 - page 4, line 35 *	1,6,22	
A	WO 02 11329 A (BOHM KRISTINA ;OSSFELDT JAN (SE); TERACOM AB (SE)) 7 February 2002 (2002-02-07) * abstract; figure 1 *	1,6,22	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
Place of search THE HAGUE		Date of completion of the search 24 April 2003	Examiner de Biolley, L
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application I : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.02 (P04C01)



European Patent
Office

Application Number
EP 02 01 9921

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 02 01 9921

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-5,10,13-21,26,29-33

Mobile communication device having an interactive user interface responsive to external effects and internal conditions of said device.

2. Claims: 6-9,22-25

Mobile communication device adapted to store a broadcast "token" (program code) in it's memory.

3. Claims: 11,12,27,28,34,35

Mobile communication device having a cover comprising an electronic ink film or electronic paper.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 01 9921

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-04-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0887988	A	30-12-1998	JP	11018157 A	22-01-1999
			AU	7319898 A	07-01-1999
			EP	0887988 A2	30-12-1998
			US	6167288 A	26-12-2000
US 5910882	A	08-06-1999	US	6330149 B1	11-12-2001
			US	6411502 B1	25-06-2002
US 2002090973	A1	11-07-2002	NONE		
DE 20115776	U	07-03-2002	DE	20115776 U1	07-03-2002
EP 0901263	A	10-03-1999	FI	973601 A	05-03-1999
			EP	0901263 A2	10-03-1999
			US	2001041600 A1	15-11-2001
EP 1079584	A	28-02-2001	FI	991780 A	21-02-2001
			CN	1285711 A	28-02-2001
			EP	1079584 A2	28-02-2001
			JP	2001086213 A	30-03-2001
DE 20103009	U	21-06-2001	DE	20103009 U1	21-06-2001
FR 2761219	A	25-09-1998	FR	2761219 A1	25-09-1998
			AU	6924798 A	12-10-1998
			WO	9842120 A1	24-09-1998
US 2001056364	A1	27-12-2001	CN	1372660 T	02-10-2002
			WO	0167228 A1	13-09-2001
			EP	1190301 A1	27-03-2002
DE 10022588	A	15-11-2001	DE	10022588 A1	15-11-2001
			WO	0186921 A1	15-11-2001
WO 0251185	A	27-06-2002	AU	9695701 A	01-07-2002
			WO	0251185 A1	27-06-2002
WO 0211329	A	07-02-2002	AU	7287701 A	13-02-2002
			WO	0211329 A1	07-02-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)